

Application Serial No: 10/511,588
Responsive to the Office Action mailed on: November 24, 2008

**RECEIVED
CENTRAL FAX CENTER
APR 24 2009**

IN THE CLAIMS

Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An analytical tool cartridge comprising:
 - a case including a storage space and a retrieval port that communicates the storage space with an external space;
 - a plurality of analytical tools stored in the storage space in a stacked state;
 - a retrieval mechanism for retrieving the analytical tools one at a time from the case via the retrieval port;
 - and an opening/closing mechanism for opening and closing the retrieval port;
 - wherein the retrieval mechanism and the opening/closing mechanism are integral with each other as a single operating body,
 - wherein the operating body is formed in a loop encircling the plurality of analytical tools and comprises an engaging projection, a closing portion and an opening portion, the engaging projection being configured to integrally move the analytical tools when the operating body is moved in a specific direction from a standby state, the closing portion being configured to close up the retrieval port in the standby state, the opening portion being configured to open up the retrieval port when the operating body is moved in the specific direction from the standby state.
- 2-3. (Cancelled)
4. (Currently Amended) The analytical tool cartridge according to claim 1, wherein the case includes an annular wall portion that defines the storage space and has the retrieval port provided therein,
 - the operating body being ~~formed in a loop~~, disposed along an outer surface of the annular wall portion, and movable relative to the annular wall portion.

Application Serial No: 10/511,588

Responsive to the Office Action mailed on: November 24, 2008

5. (Previously Presented) The analytical tool cartridge according to claim 1, wherein the analytical tools each include an engaging portion with which the engaging projection engages.

6. (Previously Presented) The analytical tool cartridge according to claim 1, wherein the operating body includes an operating portion for applying a load to and thus moving the operating body.

7. (Original) The analytical tool cartridge according to claim 1, wherein the storage space has a desiccant housed therein.

8. (Original) The analytical tool cartridge according to claim 7, wherein the analytical tools are stored in the storage space in a state supported by a platform, the desiccant being fixed to the platform.

9. (Original) The analytical tool cartridge according to claim 1, wherein the analytical tools are stored in the storage space in a state supported by a platform, and are supported in a state biased by the platform.

10. (Previously Presented) The analytical tool cartridge according to claim 1, wherein the case is provided with a guiding portion for guiding the operating body when the operating body is moved.

11. (Original) The analytical tool cartridge according to claim 1, wherein the storage space has therein stacked on top of the analytical tools an information outputting chip from which can be outputted information relating to properties of the analytical tools.

12. (Original) The analytical tool cartridge according to claim 11, wherein the information outputting chip outputs information relating to a calibration curve.

Application Serial No: 10/511,588

Responsive to the Office Action mailed on: November 24, 2008

13. (Currently Amended) A set of an analytical tool cartridge and an analyzer, the analytical tool cartridge comprising:

- a case including a storage space and a retrieval port that communicates the storage space with an external space;

- a plurality of analytical tools stored in the storage space in a stacked state;

- a retrieval mechanism for retrieving the analytical tools one at a time from the case via the retrieval port;

- and an opening/closing mechanism for opening and closing the retrieval port;

- wherein the retrieval mechanism and the opening/closing mechanism are integral with each other as a single operating body, and

- wherein the operating body is formed in a loop encircling the plurality of analytical tools and comprises an engaging projection, a closing portion and an opening portion, the engaging projection being configured to integrally move the analytical tools when the operating body is moved in a specific direction from a stand by state, the closing portion being configured to close up the retrieval port in the standby state, the opening portion being configured to open up the retrieval port when the operating body is moved in the specific direction from the standby state,

- the analyzer being constituted so as to have installed therein an analytical tool retrieved from the analytical tool cartridge, and analyze a specific component in a specimen liquid supplied onto the analytical tool,

- at least one of the analytical tool cartridge and the analyzer being provided with cartridge fixing means for locating and fixing the analytical tool cartridge onto the analyzer.

14. (Original) The set of an analytical tool cartridge and an analyzer according to claim 13, wherein the cartridge fixing means includes first stopper faces for restricting movement of the analytical tool cartridge in a direction orthogonal to each of a direction of stacking of the analytical tools and a direction of insertion of the analytical tools, and second stopper faces for restricting movement of the analytical tool cartridge in the direction of stacking of the analytical tools.

Application Serial No: 10/511,588

Responsive to the Office Action mailed on: November 24, 2008

15. (Original) The set of an analytical tool cartridge and an analyzer according to claim 14, wherein the first stopper faces are provided on the analyzer, the second stopper faces being provided on the analytical tool cartridge.

16. (Original) The set of an analytical tool cartridge and an analyzer according to claim 15, wherein the cartridge fixing means is constituted from notches provided in the case, and recessed portions provided in the analyzer.

17. (Currently Amended) A set of an analytical tool cartridge and an analyzer, the analytical tool cartridge comprising:

- a case including a storage space and a retrieval port that communicates the storage space with an external space;

- a plurality of analytical tools stored in the storage space in a stacked state;

- a retrieval mechanism for retrieving the analytical tools one at a time from the case via the retrieval port; and

- an opening/closing mechanism for opening and closing the retrieval port;

- wherein the retrieval mechanism and the opening/closing mechanism are integral with each other as a single operating body,

- wherein the ~~operation~~operating body is formed in a loop encircling the plurality of analytical tools and comprises an engaging projection, a closing portion and an opening portion, the engaging projection being configured to integrally move the analytical tools when the operating body is moved in a specific direction from a standby state, the closing portion being configured to close up the retrieval port in the standby state, the opening portion being configured to open up the retrieval port when the operating body is moved in the specific direction from the standby state,

- the analyzer being constituted so as to install an analytical tool retrieved from the analytical tool cartridge, and to analyze a specific component in a specimen liquid supplied onto the analytical tool,

- the analyzer including an inserting portion into which an end portion of the analytical tool is inserted, the analytical tool cartridge and the inserting portion being provided with analytical tool fixing means for fixing the analytical tool in the analyzer.

Application Serial No: 10/511,588

Responsive to the Office Action mailed on: November 24, 2008

18. (Original) The set of an analytical tool cartridge and an analyzer according to claim 17, wherein the analytical tool fixing means comprises a projection provided on one of the analytical tool and the inserting portion, and a recess provided in the other thereof for engaging with the projection.